

The background of the image is a repeating pattern of isometric cubes. The cubes are drawn with thin blue lines, creating a three-dimensional effect. They are arranged in a staggered grid, with some cubes appearing to be in front of others, creating a sense of depth. The pattern covers the entire background.

MOSAICS **geotiles**
cerámica

MOSAICS MOSAICOS



PORCELAIN TILES PORCELANICO



Introduction Introducción	3	INDEX ÍNDICE
Malla 30x30(5x5)	4	
Malla 30x30(7x7)	5	
Malla Hexagonal 32.5x22.5	6	
Malla 30x30(2.5x7)	7	
Malla 3D 29.5x34	8	
Malla Mol 28x28	9	
Malla Tris 30x30(5x5)	10	
Malla G.Bask 34x34	11	
Malla R+Q 30x30	12	
Malla Her 39x22	13	
Malla 34x31.5	14	
Mosaics Mosaicos	15	
Recommendation Recomendaciones	16	

MOSAICS

MOSAICOS

Geotiles is committed to social responsibility, that is why we work with 32 foundations and occupational centers dedicated to the socio-labor integration of people with intellectual disabilities.



With the acquisition of this products, this social project that we develop with different non-profit organizations in the Valencian Community contributes to the growth. The objective of this collaboration is the social integration of the disabled people, promoting the values of self-improvement, effort and work that allow them to face new personal challenges and demonstrate their abilities day by day.

Desde Geotiles apostamos por la responsabilidad social, por ello trabajamos con 32 fundaciones y centros ocupacionales dedicados a la integración socio-laboral de personas con discapacidad intelectual.

Con la adquisición de estos productos, se contribuye al crecimiento este proyecto social que desarrollamos con diferentes organizaciones sin ánimo de lucro de la Comunidad Valenciana. El objetivo de esta colaboración es la integración social de los discapacitados, fomentando los valores de superación, esfuerzo y trabajo que les permiten afrontar nuevos retos personales y demostrar sus capacidades día a día.

Malla


30x30(5x5) /
12"x12" (2"x2")



Malla Patagonia Blanco
30x30(5x5) /
12"x12" (2"x2")

Malla

30x30(7x7) /
12"x12"(3"x3")




Malla Nilo Blanco
30x30(7x7) /
12"x12"(3"x3")



Malla Hexagonal

32.5x22.5 /
13" x 9"




Malla Hexagonal Aurora Gold
32.5x22.5 /
13"x9"




Malla

30x30(2.5x7) /
12"x12"(1"x3")




Malla Aoki Bone
30x30(2.5x7) /
12"x12"(1"x3")




Malla 3D

29.5x34 / 12"x13.5"

Tesela 2.3x2.3cm / 9.6x9.6cm




Malla 3D Mars
29.5x34 /
12"x13.5"



Malla Mol

28x28 / 11" x 11"
Tesela 4x4.8cm




Malla Mol Magda Blanco
28x28 /
11"x11"



Malla Tris

30x30(5x5) /
12"x12"(2"x2") Tesela 5.7x5.7cm




Malla Tris Brera Gold
30x30(5x5) /
12"x12"(2"x2")




Malla G.Bask

34x34 /
13.5" x 13.5"




Malla G.Bask Leeds

34x34 /
13.5" x 13.5"



Malla R+Q

30x30 /
12"x12" Tesela 4.8x4.8cm



Malla R+Q Dalston Arena


30x30 /

12"x12"



Malla Her

39x22 /
15" x 9"





Malla Her Oni Pearl
39x22 /
15" x 9"











Malla




34x31,5 /
13.5" x 12.5"



Malla Labradorite Blue

34x31.5 /
13.5" x 12.5"

			
Malla 30x30 (5x5) / 12"x12" (2"x2")	Malla Hexagonal 32.5x22.5 / 13"x9"	Malla 30x30 (2.5x7) / 12"x12" (1"x3")	Malla 34x31,5 / 13.5"x12.5" Tesela 9,5x5,5cm
721	297	618	204
			
Malla 3D 29.5x34 / 12"x13.5" Tesela 2.3x2.3cm / 9.6x9.6cm	Malla Mol 28x28 / 11"x11" Tesela 4x4.8cm	Malla Tris 30x30 (5x5) / 12"x12" (2"x2") Tesela 5.7x5.7cm	Malla 30x30 (7x7) / 12"x12" (3"x3")
520	287	150	590

		
Malla G. Bask 34x34 / 13.5"x13.5" 140	Malla R+Q 30x30 / 12"x12" Tesela 4.8x4.8cm 145	Malla Her 39x22 / 15"x9" 139

* Check stocks and minimum order quantities.
Consultar stocks y cantidades mínimas.

RECOMMENDATION

MOSAIC INSTALLATION AND MAINTENANCE

PORCELAIN MOSAICS APPLICATIONS

It is recommended for use outdoors and indoors, on the floor or wall, residential and commercial, with the purpose of decoration an entire wall/floor or to be used as a decorative border or decorative piece combined with floor or wall tile

INSTALLATION RECOMMENDATIONS

Surface preparation: make sure that the surface where you want to install it has been dried and clean for at least 28 days, also it should be structurally stable, firm and be completely plumb and flat.

Adhesive: Use latex-modified adhesives of the type ANSI A118.4 or ANSI A118.15

- 1 With the flat side of 5/16"x 5/16", spread the adhesive on the Surface, then distribute the adhesive with the grooved side of the trowel horizontally, holding the trowel at a 45 degree angle to the surface, going forward always in the same direction, using the flat side of the trowel, smooth the adhesive in the vertical direction providing free air installation.
- 2 Then carefully place the special piece, mesh side down. Seat the pieces by placing a wooden block on top of them, hitting them with a Mallet or with a rubber fleet. Remove excess mixture from the edges and between the pieces. Mix pieces from several boxes to obtain a uniform variation.
- 3 Use a level periodically to check that the grout joints are holding completely straight and horizontally and vertically during installation.

- 4 Periodically pick up a piece and check that the back is completely covered with the adhesive.
- 5 If material loses tack to the touch, remove and replace dried material with the cool material.
- 6 Keep the surface against the direct action of the sun and air (Temp. 10 a 32°C). Separation: to ensure uniform joint size, use a spacer of the same size as the size than the space between the pieces.

PRODUCT CARE RECOMMENDATIONS ONCE INSTALLED

- 1 Cleaning: Use a soft, clean cloth with warm water or a commercial acid-free cleaner.
- 2 Do not use abrasive cleaners.

RECOMENDACIONES

INSTALACIÓN Y MANTENIMIENTO DE MOSAICOS

MOSAICOS PORCELÁNICOS APLICACIONES

Se recomienda su uso en exteriores e interiores, en piso o pared, residencial y comercial, con la finalidad de decorar una pared / piso completa o que sea utilizado como una bordura o listelo decorativo combinado con piso o azulejo en el muro.

RECOMENDACIONES SOBRE LA INSTALACIÓN

Preparación de la Superficie: Asegurarse que la superficie donde se desea instalar se haya curado por lo mínimo 28 días, que sea estructuralmente estable, firme, que esté completamente a plomo y plano.


Adhesivo: Usar adhesivos modificados con látex del tipo ANSI A118.4 o ANSI A118.15

- 1 Con el lado plano de la llana dentada de 5/16"x 5/16", extienda el adhesivo sobre la superficie, enseguida distribuya el adhesivo con el lado ranurado de la llana en sentido horizontal, sosteniendo la llana en un ángulo de 45 grados con relación a la superficie, avanzando siempre en la misma dirección, con el lado plano de la llana alise el adhesivo en sentido vertical proporcionando instalación libre de aire.
- 2 A continuación coloque con cuidado la pieza especial, con el lado de la malla hacia abajo, asiente las piezas colocando sobre éstas un bloque de madera golpeando con un mazo o con una flota de goma. Retire el exceso de mezcla de los bordes y entre las piezas. Mezcle piezas de varias cajas para obtener una variación uniforme.

- 3 Use un nivel de forma periódica para verificar que las juntas de boquilla se mantengan completamente rectas de manera horizontal y vertical durante la instalación.
- 4 Levante periódicamente una pieza y verifique que el reverso esté completamente cubierto con el adhesivo.
- 5 Si el material perdiera adherencia al tacto, retire y reemplace el material seco con material fresco.
- 6 Mantenga la superficie protegida contra la acción directa del sol y aire (Temp. 10 a 32°C). Separación: Para asegurar que el tamaño de la junta sea uniforme, use un separador del mismo tamaño que el espacio que hay entre las piezas.

RECOMENDACIONES DE CUIDADO DEL PRODUCTO UNA VEZ INSTALADO

- 1 Limpieza: Use un paño suave y limpio con agua tibia o un limpiador comercial libre de ácidos.
- 2 No utilizar limpiadores abrasivos.



geotiles
cerámica

GEOTILES, S.L.U.
Carretera Vila-real - Onda, Km.6
Apdo Correos 116
12540 Vila-real (Castellón) SPAIN
Tel.: +34 964 522 700
www.geotiles.com